



2024 Lake Gaston *Microseira (Lyngbya) wollei* Control Summary and 2025 Plan

Submitted To:

**Dominion Energy, The Lake Gaston Weed Control Council &
Roanoke Rapids Lake Gaston Aquatic Weed Control**

Prepared By:

Aqua Services, a Jones Lake Management Partner

Address: 23360 US Highway 431

Guntersville, AL 35976

Telephone #: (888) 669-3337, (256) 582-9101

Introduction / History

In 2021 Aqua Services was contracted by the Lake Gaston Weed Control Council to deploy its deep-water application equipment that is specifically designed to target deep water aquatic vegetation and, more specifically, *Microseira*. This technique was developed by Aqua Services and used successfully on other systems in the southeast to significantly reduce the instances and abundance of *Microseira*. As suspected, it is proving to work very well on Lake Gaston as well. Aqua Services continued to provide these treatments in 2022, 2023, and 2024.



Treatment Approach

As in 2024, NC State will identify the areas with the highest levels of nuisance infestations. At that point a collaborative effort will be presented by NC State and SePro to designate the appropriate application rates for each site.

That information will then be reviewed by Aqua Services and the application will be implemented. The applications begin in April and are conducted once per month through September. After an incident in 2021 involving mussels and mucklets the treatment approach was revised slightly in 2022 and 2023 to avoid sandy, shallow water areas that have a high probability of the presence of mucklets. That method has continued to prove very effective.

2024 Review

In the spring of 2022 Aqua Services signed a 1-year contract with the possibility of a 2-year extension. After a very successful application season in 2022 that extension was exercised for 2023 and 2024. Aqua Services will continue to collaborate with the LGWCC and NC State to provide the most up to date application techniques and technology to ensure that the levels of *Microseira* control that have been realized in 2021-2024 will continue.

I am also pleased to say that the treatment approach implemented in 2021 was very successful in 2022-2024 and no adverse effects were detected, or reported, in 2022-2024. One change was made and that is the addition of shallow water applications to matted *Microseira* with either shallow water hoses or spray wands. The only time this is implemented is when NC state agrees that it should occur.

In short, 2024 was a very successful year in terms of *Microseira* control utilizing the most up-to-date technology, good products, excellent detection and selection, and treatments beginning early in the year and attacking the *Microseira* before it is matted.



2025 Possibilities

Looking toward 2025, we will implement the same technology for rapid and effective response. Aqua Services, while on the water, will also search for potential aquatic plant species that may be considered invasive and may need to be addressed.

Treatment Data/Product Use/Inventory

Site 2						
4 ft avg depth, 11.85 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	71.11	71.11	71.11	71.11	71.11	71.11
AMP (gal)	11.85	11.85	11.85	11.85	11.85	11.85
Total Product Volume (gal)	82.96	82.96	82.96	82.96	82.96	82.96
Site 3						
5 ft avg depth, 6.48 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	48.62	48.62	48.62	48.62	48.62	48.62
AMP (gal)	8.1	8.1	8.1	8.1	8.1	8.1
Total Product Volume (gal)	56.72	56.72	56.72	56.72	56.72	56.72
Site 4						
5 ft avg depth, 8.32 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	62.38	62.38	62.38	62.38	62.38	62.38
AMP (gal)	10.4	10.4	10.4	10.4	10.4	10.4
Total Product Volume (gal)	72.78	72.78	72.78	72.78	72.78	72.78
Site 17						
4 ft avg depth, 3.73 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	35.8	35.8	35.8	35.8	35.8	35.8
AMP (gal)	7.46	7.46	7.46	7.46	7.46	7.46
Total Product Volume (gal)	43.26	43.26	43.26	43.26	43.26	43.26



Site 18						
3 ft avg depth, 5.78 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	41.65	41.65	41.65	41.65	41.65	41.65
AMP (gal)	8.68	8.68	8.68	8.68	8.68	8.68
Total Product Volume (gal)	50.33	50.33	50.33	50.33	50.33	50.33
Site 19						
4 ft avg depth, 26.2 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	73.69	73.69	73.69	73.69	73.69	73.69
AMP (gal)	15.35	15.35	15.35	15.35	15.35	15.35
Total Product Volume (gal)	89.04	89.04	89.04	89.04	89.04	89.04
Site 20						
3 ft avg depth, 1.39 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	10.02	10.02	10.02	10.02	10.02	10.02
AMP (gal)	2.09	2.09	2.09	2.09	2.09	2.09
Total Product Volume (gal)	12.11	12.11	12.11	12.11	12.11	12.11
Site 21						
5 ft avg depth, 1.35 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	16.24	16.24	16.24	16.24	16.24	16.24
AMP (gal)	3.38	3.38	3.38	3.38	3.38	3.38
Total Product Volume (gal)	19.62	19.62	19.62	19.62	19.62	19.62
Site 22						
4 ft avg depth, 3.48 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	20.87	20.87	20.87	20.87	20.87	20.87
AMP (gal)	6.96	6.96	6.96	6.96	6.96	6.96
Total Product Volume (gal)	27.83	27.83	27.83	27.83	27.83	27.83
Site 24						
5 ft avg depth, 3.28 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	24.59	24.59	24.59	24.59	24.59	24.59
AMP (gal)	8.2	8.2	8.2	8.2	8.2	8.2
Total Product Volume (gal)	32.79	32.79	32.79	32.79	32.79	32.79
Site 25						
3 ft avg depth, 3.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	23.31	23.31	23.31	23.31	23.31	23.31
AMP (gal)	4.86	4.86	4.86	4.86	4.86	4.86
Total Product Volume (gal)	28.17	28.17	28.17	28.17	28.17	28.17

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 26						
3 ft avg depth, 2.93 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	13.18	13.18	13.18	13.18	13.18	13.18
AMP (gal)	4.39	4.39	4.39	4.39	4.39	4.39
Total Product Volume (gal)	17.57	17.57	17.57	17.57	17.57	17.57
Site 27						
4 ft avg depth, 2.27 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	13.61	13.61	13.61	13.61	13.61	13.61
AMP (gal)	4.54	4.54	4.54	4.54	4.54	4.54
Total Product Volume (gal)	18.15	18.15	18.15	18.15	18.15	18.15
Site 28						
4 ft avg depth, 6.91 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	41.45	41.45	41.45	41.45	41.45	41.45
AMP (gal)	13.82	13.82	13.82	13.82	13.82	13.82
Total Product Volume (gal)	55.27	55.27	55.27	55.27	55.27	55.27
Site 29						
4 ft avg depth, 14.39 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	86.34	86.34	86.34	86.34	86.34	86.34
AMP (gal)	28.78	28.78	28.78	28.78	28.78	28.78
Total Product Volume (gal)	115.12	115.12	115.12	115.12	115.12	115.12
Site 30						
3 ft avg depth, 5.62 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	25.29	25.29	25.29	25.29	25.29	25.29
AMP (gal)	8.43	8.43	8.43	8.43	8.43	8.43
Total Product Volume (gal)	33.72	33.72	33.72	33.72	33.72	33.72
Site 31						
3 ft avg depth, 2.53 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	11.39	11.39	11.39	11.39	11.39	11.39
AMP (gal)	3.8	3.8	3.8	3.8	3.8	3.8
Total Product Volume (gal)	15.19	15.19	15.19	15.19	15.19	15.19
Site 32						
4 ft avg depth, 6.02 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	36.12	36.12	36.12	36.12	36.12	36.12
AMP (gal)	12.04	12.04	12.04	12.04	12.04	12.04
Total Product Volume (gal)	48.16	48.16	48.16	48.16	48.16	48.16

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 33a						
3 ft avg depth, 9.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	21.91	21.91	21.91	21.91	21.91	21.91
AMP (gal)	14.61	14.61	14.61	14.61	14.61	14.61
Total Product Volume (gal)	36.52	36.52	36.52	36.52	36.52	36.52
Site 33b						
3 ft avg depth, 8.06 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	18.14	18.14	18.14	18.14	18.14	18.14
AMP (gal)	12.09	12.09	12.09	12.09	12.09	12.09
Total Product Volume (gal)	30.23	30.23	30.23	30.23	30.23	30.23
Site 34						
4 ft avg depth, 3.15 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	30.25	30.25	30.25	30.25	30.25	30.25
AMP (gal)	6.3	6.3	6.3	6.3	6.3	6.3
Total Product Volume (gal)	36.55	36.55	36.55	36.55	36.55	36.55
Site 35						
4 ft avg depth, 2.62 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	15.75	15.75	15.75	15.75	15.75	15.75
AMP (gal)	5.25	5.25	5.25	5.25	5.25	5.25
Total Product Volume (gal)	21	21	21	21	21	21
Site 36						
3 ft avg depth, 1.3 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	5.85	5.85	5.85	5.85	5.85	5.85
AMP (gal)	1.95	1.95	1.95	1.95	1.95	1.95
Total Product Volume (gal)	7.8	7.8	7.8	7.8	7.8	7.8
Site 37						
3 ft avg depth, 3.16 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	22.74	22.74	22.74	22.74	22.74	22.74
AMP (gal)	4.74	4.74	4.74	4.74	4.74	4.74
Total Product Volume (gal)	27.48	27.48	27.48	27.48	27.48	27.48
Site 38						
3 ft avg depth, 1.77 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	12.76	12.76	12.76	12.76	12.76	12.76
AMP (gal)	2.66	2.66	2.66	2.66	2.66	2.66
Total Product Volume (gal)	15.42	15.42	15.42	15.42	15.42	15.42

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 39						
3 ft avg depth, 1.23 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	5.55	5.55	5.55	5.55	5.55	5.55
AMP (gal)	1.85	1.85	1.85	1.85	1.85	1.85
Total Product Volume (gal)	7.4	7.4	7.4	7.4	7.4	7.4
Site 40						
3 ft avg depth, 2.85 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	12.81	12.81	12.81	12.81	12.81	12.81
AMP (gal)	4.27	4.27	4.27	4.27	4.27	4.27
Total Product Volume (gal)	17.08	17.08	17.08	17.08	17.08	17.08
Site 41						
3 ft avg depth, 6.37 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	45.84	45.84	45.84	45.84	45.84	45.84
AMP (gal)	9.55	9.55	9.55	9.55	9.55	9.55
Total Product Volume (gal)	55.39	55.39	55.39	55.39	55.39	55.39
Site 42						
3 ft avg depth, 8.55 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	61.58	61.58	61.58	61.58	61.58	61.58
AMP (gal)	12.83	12.83	12.83	12.83	12.83	12.83
Total Product Volume (gal)	74.41	74.41	74.41	74.41	74.41	74.41
Site 43						
3 ft avg depth, 5.68 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	40.88	40.88	40.88	40.88	40.88	40.88
AMP (gal)	8.52	8.52	8.52	8.52	8.52	8.52
Total Product Volume (gal)	49.4	49.4	49.4	49.4	49.4	49.4
Site 44						
2.63 ft avg depth, 5.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	34.68	34.68	34.68	34.68	34.68	34.68
AMP (gal)	7.22	7.22	7.22	7.22	7.22	7.22
Total Product Volume (gal)	41.9	41.9	41.9	41.9	41.9	41.9
Site 45						
4 ft avg depth, 3.66 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	35.18	35.18	35.18	35.18	35.18	35.18
AMP (gal)	7.33	7.33	7.33	7.33	7.33	7.33
Total Product Volume (gal)	42.51	42.51	42.51	42.51	42.51	42.51

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 46						
4 ft avg depth, 5.38 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	51.62	51.62	51.62	51.62	51.62	51.62
AMP (gal)	10.75	10.75	10.75	10.75	10.75	10.75
Total Product Volume (gal)	62.37	62.37	62.37	62.37	62.37	62.37
Site 47						
3 ft avg depth, 16.86 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	121.37	121.37	121.37	121.37	121.37	121.37
AMP (gal)	25.29	25.29	25.29	25.29	25.29	25.29
Total Product Volume (gal)	146.66	146.66	146.66	146.66	146.66	146.66
Site 48						
3 ft avg depth, 7.22 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	52.01	52.01	52.01	52.01	52.01	52.01
AMP (gal)	10.84	10.84	10.84	10.84	10.84	10.84
Total Product Volume (gal)	62.85	62.85	62.85	62.85	62.85	62.85
Site 49						
4 ft avg depth, 7.48 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	71.82	22.05	22.05	22.05	22.05	22.05
AMP (gal)	14.96	7.35	7.35	7.35	7.35	7.35
Total Product Volume (gal)	86.78	29.4	29.4	29.4	29.4	29.4
Site 50						
3 ft avg depth, 3.63 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	16.32	16.32	16.32	16.32	16.32	16.32
AMP (gal)	5.44	5.44	5.44	5.44	5.44	5.44
Total Product Volume (gal)	21.76	21.76	21.76	21.76	21.76	21.76
Site 51						
4 ft avg depth, 6.9 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	41.39	8.53	8.53	8.53	8.53	8.53
AMP (gal)	13.8	2.84	2.84	2.84	2.84	2.84
Total Product Volume (gal)	55.19	11.37	11.37	11.37	11.37	11.37
Site 52						
4 ft avg depth, 8.68 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	83.36	83.36	83.36	83.36	83.36	83.36
AMP (gal)	17.37	17.37	17.37	17.37	17.37	17.37
Total Product Volume (gal)	100.73	100.73	100.73	100.73	100.73	100.73

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 54						
4 ft avg depth, 4.06 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	24.36	24.36	24.36	24.36	24.36	24.36
AMP (gal)	8.12	8.12	8.12	8.12	8.12	8.12
Total Product Volume (gal)	32.48	32.48	32.48	32.48	32.48	32.48
Site 55						
3 ft avg depth, 2.72 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	16.34	16.34	16.34	16.34	16.34	16.34
AMP (gal)	4.09	4.09	4.09	4.09	4.09	4.09
Total Product Volume (gal)	20.43	20.43	20.43	20.43	20.43	20.43
Site 56						
4.19 ft avg depth, 1.41 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	14.15	14.15	14.15	14.15	14.15	14.15
AMP (gal)	2.95	2.95	2.95	2.95	2.95	2.95
Total Product Volume (gal)	17.1	17.1	17.1	17.1	17.1	17.1
Site 57						
1.33 ft avg depth, 1.2 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	3.85	3.85	3.85	3.85	3.85	3.85
AMP (gal)	0.8	0.8	0.8	0.8	0.8	0.8
Total Product Volume (gal)	4.65	4.65	4.65	4.65	4.65	4.65
Site 58						
4 ft avg depth, 4.51 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	27.07	27.07	27.07	27.07	27.07	27.07
AMP (gal)	9.02	9.02	9.02	9.02	9.02	9.02
Total Product Volume (gal)	36.09	36.09	36.09	36.09	36.09	36.09
Site 59						
4 ft avg depth, 2.97 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	17.84	17.84	17.84	17.84	17.84	17.84
AMP (gal)	5.95	5.95	5.95	5.95	5.95	5.95
Total Product Volume (gal)	23.79	23.79	23.79	23.79	23.79	23.79
Site 60						
3 ft avg depth, 5.26 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	23.68	23.68	23.68	23.68	23.68	23.68
AMP (gal)	7.89	7.89	7.89	7.89	7.89	7.89
Total Product Volume (gal)	31.57	31.57	31.57	31.57	31.57	31.57

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337

Site 61						
4 ft avg depth, 1.43 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	8.57	8.57	8.57	8.57	8.57	8.57
AMP (gal)	2.86	2.86	2.86	2.86	2.86	2.86
Total Product Volume (gal)	11.43	11.43	11.43	11.43	11.43	11.43
Site 62						
3 ft avg depth, 1.97 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	14.19	14.19	14.19	14.19	14.19	14.19
AMP (gal)	2.96	2.96	2.96	2.96	2.96	2.96
Total Product Volume (gal)	17.15	17.15	17.15	17.15	17.15	17.15
Site 63						
3 ft avg depth, 3.17 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	22.86	22.86	22.86	22.86	22.86	22.86
AMP (gal)	4.76	4.76	4.76	4.76	4.76	4.76
Total Product Volume (gal)	27.62	27.62	27.62	27.62	27.62	27.62
Site 64						
3.1 ft avg depth, 1.78 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	13.25	13.25	13.25	13.25	13.25	13.25
AMP (gal)	2.76	2.76	2.76	2.76	2.76	2.76
Total Product Volume (gal)	16.01	16.01	16.01	16.01	16.01	16.01
Site 65						
2.36 ft avg depth, 14.29 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	80.9	80.9	80.9	80.9	80.9	80.9
AMP (gal)	16.85	16.85	16.85	16.85	16.85	16.85
Total Product Volume (gal)	97.75	97.75	97.75	97.75	97.75	97.75
Site 66						
2.31 ft avg depth, 5.16 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	28.57	28.57	28.57	28.57	28.57	28.57
AMP (gal)	5.95	5.95	5.95	5.95	5.95	5.95
Total Product Volume (gal)	34.52	34.52	34.52	34.52	34.52	34.52
Site 67						
1.84 ft avg depth, 2.09 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	9.21	9.21	9.21	9.21	9.21	9.21
AMP (gal)	1.92	1.92	1.92	1.92	1.92	1.92
Total Product Volume (gal)	11.13	11.13	11.13	11.13	11.13	11.13



Site 68						
1.7 ft avg depth, 2.43 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	9.9	9.9	9.9	9.9	9.9	9.9
AMP (gal)	2.06	2.06	2.06	2.06	2.06	2.06
Total Product Volume (gal)	11.96	11.96	11.96	11.96	11.96	11.96
Site 69						
4 ft avg depth, 2.35 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	22.55	22.55	22.55	22.55	22.55	22.55
AMP (gal)	4.7	4.7	4.7	4.7	4.7	4.7
Total Product Volume (gal)	27.25	27.25	27.25	27.25	27.25	27.25
Site 70						
3 ft avg depth, 2.23 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	16.02	16.02	16.02	16.02	16.02	16.02
AMP (gal)	3.34	3.34	3.34	3.34	3.34	3.34
Total Product Volume (gal)	19.36	19.36	19.36	19.36	19.36	19.36
Site 74						
4 ft avg depth, 2.93 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	17.6	17.6	17.6	17.6	17.6	17.6
AMP (gal)	5.87	5.87	5.87	5.87	5.87	5.87
Total Product Volume (gal)	23.47	23.47	23.47	23.47	23.47	23.47
Site 75						
3 ft avg depth, 2.34 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	10.53	10.53	10.53	10.53	10.53	10.53
AMP (gal)	3.51	3.51	3.51	3.51	3.51	3.51
Total Product Volume (gal)	14.04	14.04	14.04	14.04	14.04	14.04
Site 76						
3 ft avg depth, 0.88 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	6.36	6.36	6.36	6.36	6.36	6.36
AMP (gal)	1.33	1.33	1.33	1.33	1.33	1.33
Total Product Volume (gal)	7.69	7.69	7.69	7.69	7.69	7.69
Site 77						
4 ft avg depth, 1.26 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	3.78	3.78	3.78	3.78	3.78	3.78
AMP (gal)	2.52	2.52	2.52	2.52	2.52	2.52
Total Product Volume (gal)	6.3	6.3	6.3	6.3	6.3	6.3

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 78						
4 ft avg depth, 2.39 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	7.18	7.18	7.18	7.18	7.18	7.18
AMP (gal)	4.79	4.79	4.79	4.79	4.79	4.79
Total Product Volume (gal)	11.97	11.97	11.97	11.97	11.97	11.97
Site 79						
4 ft avg depth, 2.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	8.21	8.21	8.21	8.21	8.21	8.21
AMP (gal)	5.47	5.47	5.47	5.47	5.47	5.47
Total Product Volume (gal)	13.68	13.68	13.68	13.68	13.68	13.68
Site 80						
4 ft avg depth, 2.3 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	6.91	6.91	6.91	6.91	6.91	6.91
AMP (gal)	4.61	4.61	4.61	4.61	4.61	4.61
Total Product Volume (gal)	11.52	11.52	11.52	11.52	11.52	11.52
Site 81						
4 ft avg depth, 2.6 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	7.79	7.79	7.79	7.79	7.79	7.79
AMP (gal)	5.19	5.19	5.19	5.19	5.19	5.19
Total Product Volume (gal)	12.98	12.98	12.98	12.98	12.98	12.98
Site 82						
4 ft avg depth, 11 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	33	33	33	33	33	33
AMP (gal)	22	22	22	22	22	22
Total Product Volume (gal)	55	55	55	55	55	55
Site 83						
4 ft avg depth, 0.7 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	2.11	2.11	2.11	2.11	2.11	2.11
AMP (gal)	1.41	1.41	1.41	1.41	1.41	1.41
Total Product Volume (gal)	3.52	3.52	3.52	3.52	3.52	3.52
Site 84						
3 ft avg depth, 5.78 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	13.01	13.01	13.01	13.01	13.01	13.01
AMP (gal)	8.68	8.68	8.68	8.68	8.68	8.68
Total Product Volume (gal)	21.69	21.69	21.69	21.69	21.69	21.69

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 85						
3 ft avg depth, 3.18 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	22.93	22.93	22.93	22.93	22.93	22.93
AMP (gal)	4.78	4.78	4.78	4.78	4.78	4.78
Total Product Volume (gal)	27.71	27.71	27.71	27.71	27.71	27.71
Site 86						
3 ft avg depth, 9.13 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	65.74	65.74	65.74	65.74	65.74	65.74
AMP (gal)	13.7	13.7	13.7	13.7	13.7	13.7
Total Product Volume (gal)	79.44	79.44	79.44	79.44	79.44	79.44
Site 87						
3 ft avg depth, 4.36 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	31.37	31.37	31.37	31.37	31.37	31.37
AMP (gal)	6.54	6.54	6.54	6.54	6.54	6.54
Total Product Volume (gal)	37.91	37.91	37.91	37.91	37.91	37.91
Site 88						
3 ft avg depth, 1.29 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	5.8	5.8	5.8	5.8	5.8	5.8
AMP (gal)	1.93	1.93	1.93	1.93	1.93	1.93
Total Product Volume (gal)	7.73	7.73	7.73	7.73	7.73	7.73
Site 89						
3 ft avg depth, 2.04 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	9.18	9.18	9.18	9.18	9.18	9.18
AMP (gal)	3.06	3.06	3.06	3.06	3.06	3.06
Total Product Volume (gal)	12.24	12.24	12.24	12.24	12.24	12.24
Site 91						
5 ft avg depth, 5.2 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	62.43	62.43	62.43	62.43	62.43	62.43
AMP (gal)	13.01	13.01	13.01	13.01	13.01	13.01
Total Product Volume (gal)	75.44	75.44	75.44	75.44	75.44	75.44
Site 92						
5 ft avg depth, 5.06 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	60.72	60.72	60.72	60.72	60.72	60.72
AMP (gal)	12.65	12.65	12.65	12.65	12.65	12.65
Total Product Volume (gal)	73.37	73.37	73.37	73.37	73.37	73.37

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 93						
4 ft avg depth, 0.96 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	9.22	9.22	9.22	9.22	9.22	9.22
AMP (gal)	1.92	1.92	1.92	1.92	1.92	1.92
Total Product Volume (gal)	11.14	11.14	11.14	11.14	11.14	11.14
Site 100						
3 ft avg depth, 1.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	6.71	6.71	6.71	6.71	6.71	6.71
AMP (gal)	2.24	2.24	2.24	2.24	2.24	2.24
Total Product Volume (gal)	8.95	8.95	8.95	8.95	8.95	8.95
Site 149						
4.41 ft avg depth, 40.84 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	432.26	432.26	432.26	432.26	432.26	432.26
AMP (gal)	90.06	90.06	90.06	90.06	90.06	90.06
Total Product Volume (gal)	522.32	522.32	522.32	522.32	522.32	522.32
Site 152						
6.03 ft avg depth, 13.89 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	201.09	201.09	201.09	201.09	201.09	201.09
AMP (gal)	41.89	41.89	41.89	41.89	41.89	41.89
Total Product Volume (gal)	242.98	242.98	242.98	242.98	242.98	242.98
Site 168						
3 ft avg depth, 2.75 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	19.78	19.78	19.78	19.78	19.78	19.78
AMP (gal)	4.12	4.12	4.12	4.12	4.12	4.12
Total Product Volume (gal)	23.9	23.9	23.9	23.9	23.9	23.9
Site 95						
3 ft avg depth, 3.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	14.59	14.59	14.59	14.59	14.59	14.59
AMP (gal)	4.86	4.86	4.86	4.86	4.86	4.86
Total Product Volume (gal)	19.45	19.45	19.45	19.45	19.45	19.45
Site 96						
4 ft avg depth, 1.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	10.41	10.41	10.41	10.41	10.41	10.41
AMP (gal)	3.47	3.47	3.47	3.47	3.47	3.47
Total Product Volume (gal)	13.88	13.88	13.88	13.88	13.88	13.88

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site 97						
3 ft avg depth, 6.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	29.22	29.22	29.22	29.22	29.22	29.22
AMP (gal)	9.74	9.74	9.74	9.74	9.74	9.74
Total Product Volume (gal)	38.96	38.96	38.96	38.96	38.96	38.96
Site 98_1a						
3 ft avg depth, 1.04 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	4.67	4.67	4.67	4.67	4.67	4.67
AMP (gal)	1.56	1.56	1.56	1.56	1.56	1.56
Total Product Volume (gal)	6.23	6.23	6.23	6.23	6.23	6.23
Site 99						
3 ft avg depth, 2.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	10.07	10.07	10.07	10.07	10.07	10.07
AMP (gal)	3.36	3.36	3.36	3.36	3.36	3.36
Total Product Volume (gal)	13.43	13.43	13.43	13.43	13.43	13.43
Site H10_3.25a						
4 ft avg depth, 3.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	19.42	6.91	6.91	6.91	6.91	6.91
AMP (gal)	3.24	4.61	4.61	4.61	4.61	4.61
Total Product Volume (gal)	22.66	11.52	11.52	11.52	11.52	11.52
Site H11_0.75a						
3 ft avg depth, 0.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	3.34	3.34	3.34	3.34	3.34	3.34
AMP (gal)	0.56	0.56	0.56	0.56	0.56	0.56
Total Product Volume (gal)	3.9	3.9	3.9	3.9	3.9	3.9
Site H12_1.75a						
4 ft avg depth, 1.741 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	10.44	10.44	10.44	10.44	10.44	10.44
AMP (gal)	1.74	1.74	1.74	1.74	1.74	1.74
Total Product Volume (gal)	12.18	12.18	12.18	12.18	12.18	12.18
Site H13_3.25a						
3 ft avg depth, 3.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	14.59	14.59	14.59	14.59	14.59	14.59
AMP (gal)	2.43	2.43	2.43	2.43	2.43	2.43
Total Product Volume (gal)	17.02	17.02	17.02	17.02	17.02	17.02

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site H14_2a						
3 ft avg depth, 2.03 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	9.15	9.15	9.15	9.15	9.15	9.15
AMP (gal)	1.53	1.53	1.53	1.53	1.53	1.53
Total Product Volume (gal)	10.68	10.68	10.68	10.68	10.68	10.68
Site H15_3.5a						
4 ft avg depth, 3.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	33.5	33.5	33.5	33.5	33.5	33.5
AMP (gal)	6.98	6.98	6.98	6.98	6.98	6.98
Total Product Volume (gal)	40.48	40.48	40.48	40.48	40.48	40.48
Site H16_1.5a						
3 ft avg depth, 1.48 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	10.69	10.69	10.69	10.69	10.69	10.69
AMP (gal)	2.23	2.23	2.23	2.23	2.23	2.23
Total Product Volume (gal)	12.92	12.92	12.92	12.92	12.92	12.92
Site H17_1a						
2.89 ft avg depth, 0.99 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	6.87	6.87	6.87	6.87	6.87	6.87
AMP (gal)	1.43	1.43	1.43	1.43	1.43	1.43
Total Product Volume (gal)	8.3	8.3	8.3	8.3	8.3	8.3
Site H18_4.25a						
3 ft avg depth, 4.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	30.53	30.53	30.53	30.53	30.53	30.53
AMP (gal)	6.36	6.36	6.36	6.36	6.36	6.36
Total Product Volume (gal)	36.89	36.89	36.89	36.89	36.89	36.89
Site H19_4a						
3 ft avg depth, 4.03 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	28.99	28.99	28.99	28.99	28.99	28.99
AMP (gal)	6.04	6.04	6.04	6.04	6.04	6.04
Total Product Volume (gal)	35.03	35.03	35.03	35.03	35.03	35.03
Site H20_6.25a						
4 ft avg depth, 6.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	37.46	37.46	37.46	37.46	37.46	37.46
AMP (gal)	12.49	12.49	12.49	12.49	12.49	12.49
Total Product Volume (gal)	49.95	49.95	49.95	49.95	49.95	49.95

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site H21_1.5a						
3 ft avg depth, 1.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	10.73	10.73	10.73	10.73	10.73	10.73
AMP (gal)	2.23	2.23	2.23	2.23	2.23	2.23
Total Product Volume (gal)	12.96	12.96	12.96	12.96	12.96	12.96
Site H22_2.75a						
3 ft avg depth, 2.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	19.74	19.74	19.74	19.74	19.74	19.74
AMP (gal)	4.11	4.11	4.11	4.11	4.11	4.11
Total Product Volume (gal)	23.85	23.85	23.85	23.85	23.85	23.85
Site H23_1a						
3 ft avg depth, 1.01 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	7.27	7.27	7.27	7.27	7.27	7.27
AMP (gal)	1.51	1.51	1.51	1.51	1.51	1.51
Total Product Volume (gal)	8.78	8.78	8.78	8.78	8.78	8.78
Site H24_1.25a						
3 ft avg depth, 1.23 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	8.89	8.89	8.89	8.89	8.89	8.89
AMP (gal)	1.85	1.85	1.85	1.85	1.85	1.85
Total Product Volume (gal)	10.74	10.74	10.74	10.74	10.74	10.74
Site H25_8a						
4 ft avg depth, 8.02 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	48.11	48.11	48.11	48.11	48.11	48.11
AMP (gal)	16.04	16.04	16.04	16.04	16.04	16.04
Total Product Volume (gal)	64.15	64.15	64.15	64.15	64.15	64.15
Site H26_7a						
3 ft avg depth, 7.03 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	31.62	31.62	31.62	31.62	31.62	31.62
AMP (gal)	10.54	10.54	10.54	10.54	10.54	10.54
Total Product Volume (gal)	42.16	42.16	42.16	42.16	42.16	42.16
Site H27_3.5a						
2.52 ft avg depth, 3.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	21.11	21.11	21.11	21.11	21.11	21.11
AMP (gal)	4.4	4.4	4.4	4.4	4.4	4.4
Total Product Volume (gal)	25.51	25.51	25.51	25.51	25.51	25.51

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site H1_2.75a						
4 ft avg depth, 2.74 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	26.31	26.31	26.31	26.31	26.31	26.31
AMP (gal)	5.48	5.48	5.48	5.48	5.48	5.48
Total Product Volume (gal)	31.79	31.79	31.79	31.79	31.79	31.79
Site H2_6a						
4 ft avg depth, 6.03 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	57.85	57.85	57.85	57.85	57.85	57.85
AMP (gal)	12.05	12.05	12.05	12.05	12.05	12.05
Total Product Volume (gal)	69.9	69.9	69.9	69.9	69.9	69.9
Site H3_11a						
4 ft avg depth, 11.09 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	106.43	106.43	106.43	106.43	106.43	106.43
AMP (gal)	22.17	22.17	22.17	22.17	22.17	22.17
Total Product Volume (gal)	128.6	128.6	128.6	128.6	128.6	128.6
Site H4_1.5a						
4 ft avg depth, 1.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	8.93	8.93	8.93	8.93	8.93	8.93
AMP (gal)	2.98	2.98	2.98	2.98	2.98	2.98
Total Product Volume (gal)	11.91	11.91	11.91	11.91	11.91	11.91
Site H5_1a						
5 ft avg depth, 1.03 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	7.69	7.69	7.69	7.69	7.69	7.69
AMP (gal)	2.56	2.56	2.56	2.56	2.56	2.56
Total Product Volume (gal)	10.25	10.25	10.25	10.25	10.25	10.25
Site H6_1.5						
4 ft avg depth, 1.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	8.93	8.93	8.93	8.93	8.93	8.93
AMP (gal)	2.98	2.98	2.98	2.98	2.98	2.98
Total Product Volume (gal)	11.91	11.91	11.91	11.91	11.91	11.91
Site H7_1.5a						
4 ft avg depth, 1.49 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	14.31	14.31	14.31	14.31	14.31	14.31
AMP (gal)	2.98	2.98	2.98	2.98	2.98	2.98
Total Product Volume (gal)	17.29	17.29	17.29	17.29	17.29	17.29

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337



Site H8_1a						
5 ft avg depth, 0.99 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Captain XTR (gal)	11.83	11.83	11.83	11.83	11.83	11.83
AMP (gal)	2.46	2.46	2.46	2.46	2.46	2.46
Total Product Volume (gal)	14.29	14.29	14.29	14.29	14.29	14.29
Site H9_1.25a						
3 ft avg depth, 1.24 acres	4/16-4/17	5/14-5/15	6/11-6/12	7/16-7/17	8/13-8/14	9/10-9/11
Citrine Ultra (gal)	8.93	8.93	8.93	8.93	8.93	8.93
AMP (gal)	1.86	1.86	1.86	1.86	1.86	1.86
Total Product Volume (gal)	10.79	10.79	10.79	10.79	10.79	10.79

Product Totals	Per Treatment	2024 Total	
Captain XTR	2972.44	17834.64	
Citrine Ultra	554.67	3328.02	
AMP	873.23	5239.38	
Inventory		# of totes/cubes	gallons
Captain XTR - 275 g totes	Total Taken	65	17875
	Total Used	64.85	17834.64
	Remaining	0.15	40.36
Citrine Ultra - 275 g totes	Total Taken	12	3300
	Total Used	12	3300
	Remaining	0	0
AMP - 330 g totes	Total Taken	16	5280
	Total Used	15.88	5239.38
	Remaining	0.12	40.62

Prepared on March 25, 2025
 By: Derek Smith / Branch manager
 Aqua Services, a Jones Lake Management Partner
dereks@aquaservicesinc.com

specializing in aquatic weed control and lake restoration
23360 US Highway 431 • Guntersville, Alabama 35976 • 1-888-669-3337